

**ExxonMobil Refining & Supply Company**  
**Global Remediation – US Retail**  
4096 Piedmont Avenue #194  
Oakland, California 94611  
510.547.8196  
510.547.8706 Fax  
jennifer.c.sedlachek@exxonmobil.com

Jennifer C. Sedlachek  
Project Manager

**ExxonMobil**  
*Refining & Supply*

May 17, 2006

Ms. Beth Tuxhorn  
P.O. Box 11128  
Santa Rosa, California 95406

**RE: Former Exxon RAS #7-3035/4501 Sonoma Highway, Santa Rosa, California.**

Dear Ms. Tuxhorn:

Attached for your review and comment is a document entitled *Laboratory Analysis Results of Groundwater Sample Collected from Private Water Well*, dated May 17, 2006, for the above-referenced site. The document was prepared by Environmental Resolutions, Inc. (ERI) of Petaluma, California, and provides the analytical laboratory results for the first quarter 2006 groundwater sample collected from the private water well located at 4343 Sonoma Highway, in Santa Rosa, California.

These data were generated by ERI on behalf of ExxonMobil to comply with requirements of the Regional Board in accordance with state regulations. ExxonMobil makes no representations as to these data for any other purpose.

Thank you for your continued cooperation in providing access to sample your well.

Water sample analytical results including analytical data sheets are provided quarterly to the office of the Regional Board. If you have any questions, please contact Ms. Jo Bentz of the Regional Board at 707.576.2838.

Sincerely,




Jennifer C. Sedlachek  
Project Manager

Attachment: Laboratory Analysis Results of Groundwater Sample Collected from Private Water Well, dated May 17, 2006.

cc: w/ attachment  
Ms. Jo Bentz, California Regional Water Quality Control Board, North Coast Region

w/o attachment  
Ms. Paula Sime, Environmental Resolutions, Inc.



May 17, 2006  
ERI 200313.L78

Ms. Jennifer C. Sedlachek  
ExxonMobil Refining & Supply - Global Remediation  
4096 Piedmont Avenue #194  
Oakland, California 94611

**SUBJECT** Laboratory Analysis Results of Groundwater Sample Collected from Private Water Well  
Located at 4343 Highway 12, Santa Rosa, California

Ms. Sedlachek:

At the request of Exxon Mobil Corporation (Exxon Mobil), Environmental Resolutions, Inc. (ERI) is providing the analytical laboratory results of the groundwater samples collected from the private water wells located at 4343 Highway 12, in Santa Rosa, California, on March 30, 2006. The samples were collected by ERI and analyzed by Sequoia Analytical, a California state-certified laboratory, under Chain-of-Custody protocol, for total petroleum hydrocarbons as gasoline, total petroleum hydrocarbons as diesel, and methanol using Environmental Protection Agency (EPA) Method 8015B, and benzene, toluene, ethylbenzene, and total xylenes, oxygenated compounds (including methyl tertiary butyl ether, ethyl tertiary butyl ether, tertiary amyl methyl ether, tertiary butyl alcohol, di-isopropyl ether, and ethanol), and lead scavengers (including 1,2-dibromoethane and 1,2-dichloroethane) using EPA Method 524.2. The laboratory results are summarized on Tables 1A and 1B.

Please contact Ms. Paula Sime, ERI's project manager for this site, at (707) 766-2000 with any questions.

Sincerely,  
Environmental Resolutions, Inc.

**SCANNED  
IMAGE**  
Karen L. Navarro  
Technical Writer  
*[Signature]*  
FOR  
Paula Sime  
Project Manager

Attachments: Table 1A: Private Water Well Sampling Data  
Table 1B: Additional Private Water Well Sampling Data

Laboratory Analysis Report

cc: Ms. Beth Tuxhorn  
Ms. Jo Bentz, California Regional Water Quality Control Board, North Coast Region

**TABLE 1A**  
**PRIVATE WATER WELL SAMPLING DATA**  
Former Exxon Service Station 7-3035  
4501 Sonoma Highway  
Santa Rosa, California  
(Page 1 of 1)

Well ID	Sampling Date	TPHd (µg/L)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
W4343	11/03/04	<50	<50.0	<0.50	<0.50	<0.50	<1.00	<0.50
W4343	06/07/05	<50	<50.0	<0.50	<0.50	<0.50	<1.00	<0.50
W4343	09/08/05	64.6a	<50.0	<0.500	<0.500	<0.500	<1.00	<0.500
W4343	09/30/05	<50.0	<50.0	<0.500	<0.500	<0.500	<1.00	<0.500
W4343	12/08/05	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500
W4343	03/30/06	<47	<50	<0.50	<0.50	<0.50	<0.50	<0.50
Primary CDHS MCL		b	b	b	b	b	b	13
Secondary CDHS MCL		b	b	b	b	b	b	5

Notes:		
CDHS MCL	=	California Department of Health Services Maximum Contaminant Level.
TPHd	=	Total petroleum hydrocarbons as diesel analyzed using EPA Method 8015B.
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 8015B.
MTBE	=	Methyl tertiary butyl ether analyzed using EPA Method 524.2.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 524.2.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 524.2.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 524.2.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 524.2.
EDB	=	1,2-dibromoethane analyzed using EPA Method 524.2.
1,2-DCA	=	1,2-dichloroethane analyzed using EPA Method 524.2.
Isopropyl Ether	=	Isopropyl ether analyzed using EPA Method 524.2.
Ethanol	=	Ethanol analyzed using EPA Method 524.2.
Methanol	=	Methanol analyzed using EPA Method 8015B.
<	=	Less than the indicated reporting limit shown by the laboratory.
—	=	Not measured/Not sampled/Not analyzed.
a	=	The chromatogram was not consistent with diesel fuel.
b	=	MCL values not applicable; analyte not detected in private wells.

**TABLE 1B**  
**ADDITIONAL PRIVATE WATER WELL SAMPLING DATA**  
Former Exxon Service Station 7-3035  
4501 Sonoma Highway  
Santa Rosa, California  
(Page 1 of 1)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	Isopropyl Ether (µg/L)	Ethanol (µg/L)	Methanol (µg/L)
W4343	11/03/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0	<10,000
W4343	06/07/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0	<5,000
W4343	09/08/05	<0.500	<0.500	<5.00	<0.500	<0.500	<0.500	<50.0	<10,000
W4343	09/30/05	<0.500	<0.500	<5.00	<0.500	<0.500	<0.500	<50.0	<10,000
W4343	12/08/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0	<10,000
<b>W4343</b>	<b>03/30/06</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;20</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;100</b>	<b>&lt;100</b>


Notes:

TPHd	=	Total petroleum hydrocarbons as diesel analyzed using EPA Method 8015B.
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 8015B.
MTBE	=	Methyl tertiary butyl ether analyzed using EPA Method 524.2.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 524.2.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 524.2.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 524.2.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 524.2.
EDB	=	1,2-dibromoethane analyzed using EPA Method 524.2.
1,2-DCA	=	1,2-dichloroethane analyzed using EPA Method 524.2.
Isopropyl Ether	=	Isopropyl ether analyzed using EPA Method 524.2.
Ethanol	=	Ethanol analyzed using EPA Method 524.2.
Methanol	=	Methanol analyzed using EPA Method 8015B.
µg/L	=	Micrograms per liter.
<	=	Less than the indicated reporting limit shown by the laboratory.
—	=	Not measured/Not sampled/Not analyzed.
a	=	The chromatogram was not consistent with diesel fuel.
b	=	MCL values not applicable; analyte not detected in private wells.



21 April, 2006

Paula Sime  
Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma, CA 94954



RE: Exxon 7-3035  
Work Order: MPC1116

Enclosed are the results of analyses for samples received by the laboratory on 04/03/06 19:10. The samples arrived at a temperature of 4° C. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Christina Dell  
Project Manager

CA ELAP Certificate #1210



Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-3035  
Project Number: 7-3035  
Project Manager: Paula Sime

MPC1116  
Reported:  
04/21/06 14:55

**ANALYTICAL REPORT FOR SAMPLES**

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
W4343	MPC1116-01	Water	03/30/06 10:05	04/03/06 19:10



Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-3035  
Project Number: 7-3035  
Project Manager: Paula Sime

MPC1116  
Reported:  
04/21/06 14:55

W4343 (MPC1116-01) Water Sampled: 03/30/06 10:05 Received: 04/03/06 19:10

### Purgeable Hydrocarbons by EPA 8015B

#### Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6D12003	04/12/06	04/12/06	EPA 8015B-VOA	
Surrogate: 4-Bromofluorobenzene		94 %	75-125		"	"	"	"	

### Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B

#### Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Diesel Range Organics (C10-C28)	ND	47	ug/l	1	6D06014	04/06/06	04/07/06	EPA 8015B-SVOA	
Surrogate: n-Octacosane		83 %	30-115		"	"	"	"	

### Purgeable Organic Compounds by EPA Method 524.2

#### Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Ethanol	ND	100	ug/l	1	6D13027	04/13/06	04/13/06	EPA 524.2	
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
tert-Amyl methyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		106 %	70-130		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		98 %	70-130		"	"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4		102 %	70-130		"	"	"	"	

Sequoia Analytical - Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.



Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-3035  
Project Number: 7-3035  
Project Manager: Paula Sime

MPC1116  
Reported:  
04/21/06 14:55

W4343 (MPC1116-01) Water Sampled: 03/30/06 10:05 Received: 04/03/06 19:10

**Industrial Solvents by EPA Method 8015B**

**Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Methanol	ND	100	ug/l	1	6D06021	04/06/06	04/06/06	EPA 8015B	
Surrogate: 1-pentanol		102 %	70-125		"	"	"	"	





Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-3035  
Project Number: 7-3035  
Project Manager: Paula Sime

MPC1116  
Reported:  
04/21/06 14:55

**Purgeable Hydrocarbons by EPA 8015B - Quality Control**  
**Sequoia Analytical - Morgan Hill**

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
<b>Batch 6D12003 - EPA 5030B [P/T]</b>									
<b>Blank (6D12003-BLK1)</b>				Prepared & Analyzed: 04/12/06					
Gasoline Range Organics (C4-C12)	ND	25	ug/l						
Surrogate: 4-Bromofluorobenzene	74.1		"	80.0		93	75-125		
<b>LCS (6D12003-BS1)</b>				Prepared & Analyzed: 04/12/06					
Gasoline Range Organics (C4-C12)	173	50	ug/l	275		63	60-115		
Surrogate: 4-Bromofluorobenzene	77.0		"	80.0		96	75-125		
<b>Matrix Spike (6D12003-MS1)</b>				Source: MPC1117-04		Prepared & Analyzed: 04/12/06			
Gasoline Range Organics (C4-C12)	156	50	ug/l	275	ND	57	60-115		QM02
Surrogate: 4-Bromofluorobenzene	76.4		"	80.0		96	75-125		
<b>Matrix Spike Dup (6D12003-MSD1)</b>				Source: MPC1117-04		Prepared & Analyzed: 04/12/06			
Gasoline Range Organics (C4-C12)	153	50	ug/l	275	ND	56	60-115	2	20 QM02
Surrogate: 4-Bromofluorobenzene	76.0		"	80.0		95	75-125		



Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-3035  
Project Number: 7-3035  
Project Manager: Paula Sime

MPC1116  
Reported:  
04/21/06 14:55

**Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B - Quality Control**  
**Sequoia Analytical - Morgan Hill**

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
<b>Batch 6D06014 - EPA 3510C</b>									
<b>Blank (6D06014-BLK1)</b>				Prepared: 04/06/06 Analyzed: 04/07/06					
Diesel Range Organics (C10-C28)	ND	25	ug/l						
Surrogate: n-Octacosane	39.2		"	50.0		78	30-115		
<b>LCS (6D06014-BS1)</b>				Prepared: 04/06/06 Analyzed: 04/07/06					
Diesel Range Organics (C10-C28)	338	50	ug/l	500		68	40-140		
Surrogate: n-Octacosane	40.3		"	50.0		81	30-115		
<b>Matrix Spike (6D06014-MS1)</b>				Source: MPD0121-01		Prepared: 04/06/06 Analyzed: 04/07/06			
Diesel Range Organics (C10-C28)	1060	47	ug/l	472	530	112	40-140		
Surrogate: n-Octacosane	45.2		"	47.2		96	30-115		
<b>Matrix Spike Dup (6D06014-MSD1)</b>				Source: MPD0121-01		Prepared: 04/06/06 Analyzed: 04/07/06			
Diesel Range Organics (C10-C28)	961	47	ug/l	472	530	91	40-140	10	35
Surrogate: n-Octacosane	42.1		"	47.2		89	30-115		



Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-3035  
Project Number: 7-3035  
Project Manager: Paula Sime

MPC1116  
Reported:  
04/21/06 14:55

**Purgeable Organic Compounds by EPA Method 524.2 - Quality Control**

**Sequoia Analytical - Morgan Hill**

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	----------------	-----	--------------	-------

**Batch 6D13027 - EPA 5030B P/T**

**Blank (6D13027-BLK1)**

Prepared & Analyzed: 04/13/06

Ethanol	ND	52	ug/l						
tert-Butyl alcohol	ND	11	"						
Methyl tert-butyl ether	ND	0.25	"						
Di-isopropyl ether	ND	0.25	"						
Ethyl tert-butyl ether	ND	0.25	"						
tert-Amyl methyl ether	ND	0.25	"						
1,2-Dichloroethane	ND	0.25	"						
1,2-Dibromoethane (EDB)	ND	0.25	"						
Benzene	ND	0.25	"						
Toluene	ND	0.25	"						
Ethylbenzene	ND	0.25	"						
Xylenes (total)	ND	0.36	"						
Surrogate: Dibromofluoromethane	2.57		"	2.50		103		70-130	
Surrogate: 4-Bromofluorobenzene	2.39		"	2.50		96		70-130	
Surrogate: 1,2-Dichlorobenzene-d4	2.04		"	2.00		102		70-130	

**LCS (6D13027-BS1)**

Prepared & Analyzed: 04/13/06

Ethanol	178	100	ug/l	165		108		70-130	
tert-Butyl alcohol	178	20	"	169		105		70-130	
Methyl tert-butyl ether	7.74	0.50	"	7.84		99		70-130	
Di-isopropyl ether	16.3	0.50	"	16.2		101		70-130	
Ethyl tert-butyl ether	16.3	0.50	"	16.4		99		70-130	
tert-Amyl methyl ether	16.3	0.50	"	16.3		100		70-130	
1,2-Dichloroethane	16.2	0.50	"	15.5		105		70-130	
1,2-Dibromoethane (EDB)	16.7	0.50	"	16.6		101		70-130	
Benzene	5.19	0.50	"	5.04		103		70-130	
Toluene	34.0	0.50	"	38.0		89		70-130	
Ethylbenzene	6.94	0.50	"	7.28		95		70-130	
Xylenes (total)	38.7	0.50	"	40.8		95		70-130	
Surrogate: Dibromofluoromethane	2.61		"	2.50		104		70-130	

Sequoia Analytical - Morgan Hill

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.*



Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-3035  
Project Number: 7-3035  
Project Manager: Paula Sime

MPC1116  
Reported:  
04/21/06 14:55

**Purgeable Organic Compounds by EPA Method 524.2 - Quality Control**

**Sequoia Analytical - Morgan Hill**

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

**Batch 6D13027 - EPA 5030B P/T**

**LCS (6D13027-BS1)**

Prepared & Analyzed: 04/13/06

Surrogate: 4-Bromofluorobenzene	2.41		ug/l	2.50		96	70-130			
Surrogate: 1,2-Dichlorobenzene-d4	1.99		"	2.00		100	70-130			

**LCS Dup (6D13027-BSD1)**

Prepared & Analyzed: 04/13/06

Ethanol	229	100	ug/l	165		139	70-130	25	20	QC04, QC20
tert-Butyl alcohol	192	20	"	169		114	70-130	8	20	
Methyl tert-butyl ether	8.02	0.50	"	7.84		102	70-130	4	20	
Di-isopropyl ether	16.8	0.50	"	16.2		104	70-130	3	20	
Ethyl tert-butyl ether	16.9	0.50	"	16.4		103	70-130	4	20	
tert-Amyl methyl ether	16.9	0.50	"	16.3		104	70-130	4	20	
1,2-Dichloroethane	16.7	0.50	"	15.5		108	70-130	3	20	
1,2-Dibromoethane (EDB)	17.0	0.50	"	16.6		102	70-130	2	20	
Benzene	5.32	0.50	"	5.04		106	70-130	2	20	
Toluene	35.5	0.50	"	38.0		93	70-130	4	20	
Ethylbenzene	7.44	0.50	"	7.28		102	70-130	7	20	
Xylenes (total)	40.7	0.50	"	40.8		100	70-130	5	20	
Surrogate: Dibromofluoromethane	2.66		"	2.50		106	70-130			
Surrogate: 4-Bromofluorobenzene	2.53		"	2.50		101	70-130			
Surrogate: 1,2-Dichlorobenzene-d4	2.02		"	2.00		101	70-130			



Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-3035  
Project Number: 7-3035  
Project Manager: Paula Sime

MPC1116  
Reported:  
04/21/06 14:55

**Industrial Solvents by EPA Method 8015B - Quality Control**

**Sequoia Analytical - Morgan Hill**

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

**Batch 6D06021 - EPA 3810 Headspace**

**Blank (6D06021-BLK1)**

Prepared & Analyzed: 04/06/06

Methanol	ND	71	ug/l							
----------	----	----	------	--	--	--	--	--	--	--

Surrogate: 1-pentanol	2580		"	2500		103	70-125			
-----------------------	------	--	---	------	--	-----	--------	--	--	--

**LCS (6D06021-BS1)**

Prepared & Analyzed: 04/06/06

Methanol	1070	100	ug/l	1000		107	75-125			
----------	------	-----	------	------	--	-----	--------	--	--	--

Surrogate: 1-pentanol	2680		"	2500		107	70-125			
-----------------------	------	--	---	------	--	-----	--------	--	--	--

**Matrix Spike (6D06021-MS1)**

Source: MPD0110-01

Prepared & Analyzed: 04/06/06

Methanol	962	100	ug/l	1000	ND	96	75-125			
----------	-----	-----	------	------	----	----	--------	--	--	--

Surrogate: 1-pentanol	2450		"	2500		98	70-125			
-----------------------	------	--	---	------	--	----	--------	--	--	--

**Matrix Spike Dup (6D06021-MSD1)**

Source: MPD0110-01

Prepared & Analyzed: 04/06/06

Methanol	975	100	ug/l	1000	ND	98	75-125	1	20	
----------	-----	-----	------	------	----	----	--------	---	----	--

Surrogate: 1-pentanol	2570		"	2500		103	70-125			
-----------------------	------	--	---	------	--	-----	--------	--	--	--



Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-3035  
Project Number: 7-3035  
Project Manager: Paula Sime

MPC1116  
Reported:  
04/21/06 14:55

### Notes and Definitions

QM02      The spike recovery was below control limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.

QC20      The RPD was outside control limits.

QC04      The recovery was above the control limit by 9%.

DET      Analyte DETECTED

ND      Analyte NOT DETECTED at or above the reporting limit

NR      Not Reported

dry      Sample results reported on a dry weight basis

RPD      Relative Percent Difference



# SEQUOIA ANALYTICAL SAMPLE RECEIPT LOG

CLIENT NAME: Environmental Resolution Inc  
 REC. BY (PRINT) Arle  
 WORKORDER: MPC111.4

DATE REC'D AT LAB: 4.3.06  
 TIME REC'D AT LAB: 1910  
 DATE LOGGED IN: 3/31/06

For Regulatory Purposes?  
 DRINKING WATER YES / NO  
 WASTE WATER YES / NO

CIRCLE THE APPROPRIATE RESPONSE	LAB SAMPLE #	DASH #	CLIENT ID	CONTAINER DESCRIPTION	PRESERV ATIVE	pH	SAMPLE MATRIX	DATE SAMPLED	REMARKS: CONDITION (ETC.)
1. Custody Seal(s) Present / <u>Absent</u> Intact / Broken*									
2. Chain-of-Custody: <u>Present</u> / Absent*									
3. Traffic Reports or Packing List: Present / <u>Absent</u>									
4. Airbill: Airbill / Sticker Present / <u>Absent</u>									
5. Airbill #: _____									
6. Sample Labels: <u>Present</u> / Absent									
7. Sample IDs: <u>Listed</u> / Not Listed on Chain-of-Custody									
8. Sample Condition: <u>Intact</u> / Broken* / Leaking*									
9. Does information on chain-of-custody, traffic reports and sample labels agree? <u>Yes</u> / No*									
10. Sample received within hold time? <u>Yes</u> / No*									
11. Adequate sample volume received? <u>Yes</u> / No*									
12. Proper preservatives used? <u>Yes</u> / No*									
13. Trip Blank / <u>Temp</u> Blank Received? (circle which, if yes) <u>Yes</u> / No*									
14. Read Temp: <u>4.0°C</u> Corrected Temp: <u>4.0°C</u> Is corrected temp $4 \pm 2^\circ\text{C}$ ? <u>Yes</u> / No**									

(Acceptance range for samples requiring thermal pres.)

\*\*Exception (if any): METALS / DFF ON ICE  
or Problem COC

\*IF CIRCLED, CONTACT PROJECT MANAGER AND ATTACH RECORD OF RESOLUTION.